WHAT IS CLAMED IS:

A method for presenting and browsing information, comprising the steps 1 1. of: 2 classifying the information into a plurality of classes and sub-classes, each class 3 having at least one sub-class; and 4 presenting the plurality of classes of information to a user. 5 2. The method of Claim 1, further comprising the step of interactively 1 controlling the presentation of the sub-classes. 2 3. The method of Claim 2, further comprising the step of directional tagging 1 said classified information for spatial presentation, 2 wherein each class is audibly presented from a different position in space based 3 on the directional tagging. 4 The method of Claim 3, wherein the interactively controlling step includes 4. 1 the steps of: 2 receiving an input command from the user, said input command containing 3 information identifying a position in space from which a class was presented; and 4 presenting sub-class information of the class said input command identified. 5 5. The method of Claim 4, wherein the input command is received through a 1 spoken command from the user. 2 6. The method of Claim 4, wherein the input command is received through 1 an input device having means for determining a direction to which a user points. 2 7. The method of Claim 4, wherein the input command is received through 1 an electrical or mechanical input device. 2

iB.

ززا

1	8. The method of Claim 2, wherein the interactively controlling step includes
2	the steps of:
3	receiving an input command from the user, said input command containing
4	information identifying a class or sub-class; and
5	presenting further information of the class or sub-class said input command
6	identified.
1	9. A system for presenting and browsing information, comprising:
1	
2	a processor for classifying the information into a plurality of classes and sub-
3	classes, each class having at least one sub-class; and
4	an output system for presenting the plurality of classes of information to a user.
1	10. The system of Claim 9, further comprising an input system for
2	interactively controlling the presentation of the sub-classes.
1	11. The system of Claim 10, wherein said processor directional tagging said
2	classified information for spatial presentation, and each class is audibly presented through
3	said output system from a different position in space based on the directional tagging.
1	12. The system of Claim 11, wherein said processor receives an input
2	command from the user through said input system, said input command containing
3	information identifying a position in space from which a class was presented, and
4	presents sub-class information of the class said input command identified.
1	13. The system of Claim 12, wherein said input system is a speech recognition
2	system.
1	14. The system of Claim 12, wherein said input system is an input device
2	having means for determining a direction to which a user points.

11

	•
1	15. The system of Claim 12, wherein said input system is an electrical or
2	mechanical input device.
1	16. The system of Claim 10, wherein the processor receives an input
2	command from the user through the input system, said input command containing
3	information identifying a class or sub-class, and presents through said output system
4	further information of the class or sub-class said input command identified.
	·
1	17. The system of Claim 9, wherein the output system is at least two speakers.
1	18. A computer program device readable by a machine, tangibly embodying a
2	program of instructions executable by the machine to perform method steps for
3	classifying the information into a plurality of classes and sub-classes, each class having at
4	least one sub-class, and presenting the plurality of classes of information to a user.
1	19. The computer program device readable by a machine, tangibly embodying
2	a program of instructions executable by the machine of Claim 18, to further perform a
3	step for interactively controlling the presentation of the sub-classes.
1	20. The computer program device readable by a machine, tangibly embodying
2	a program of instructions executable by the machine of Claim 19, to further perform a
3	step for directional tagging said classified information for spatial presentation,
4	wherein each class is audibly presented from a different position in space based
5	on the directional tagging.
1	21. The computer program device readable by a machine, tangibly embodying
2	a program of instructions executable by the machine of Claim 20, to further perform a

step for receiving an input command from the user, said input command containing

3

- 4 information identifying a position in space from which a class was presented, and
- 5 presenting sub-class information of the class said input command identified.
- 1 22. The computer program device readable by a machine, tangibly embodying
- 2 a program of instructions executable by the machine of Claim 21, wherein the input
- 3 command is received through a spoken command from the user.
- 1 23. The computer program device readable by a machine, tangibly embodying
- a program of instructions executable by the machine of Claim 21, wherein the input
- 3 command is received through an input device having means for determining a direction
- 4 to which a user points.
- 1 24. The computer program device readable by a machine, tangibly embodying
- a program of instructions executable by the machine of Claim 21, wherein the input
- 3 command is received through an electrical or mechanical input device.
- 1 25. The computer program device readable by a machine, tangibly embodying
- a program of instructions executable by the machine of Claim 19, to further perform a
- 3 step for receiving an input command from the user, said input command containing
- 4 information identifying a class or sub-class, and presenting further information of the
- 5 class or sub-class said input command identified.
- 1 26. The method of Claim 4, wherein the input command is received through at
- 2 least one of a speech recognition system, an input device having means for determining a
- direction to which a user points, and a standard computer input device.

۲.

. .

ť .,